TECHNICAL DATA

Fluke TL82 Automotive Pin and Socket Adapter Set



Product overview: Fluke TL82 Automotive Pin and Socket Adapter Set

An absolute must-have for work on Asian or European vehicles. This collection of male and female adapters allows you to make firm connection to pin and socket connectors. Useful when making voltage, frequency, duty cycle or resistance measurements and a must when measuring current requiring the meter be placed in series in the circuit.

Ordering information



Fluke TL82

Fluke TL82 Automotive Pin & Socket Adapter Set
Automotive Pin & Socket Adapter Set

Part#: 2150636
UPC#: 095969261470

Set contains:

- Retractable shrouded test leads complete set of 8 pin-and-socket adapters with flexible tips; one red and one black in the following sizes:
  - Size 22 contact 0.030 in (0.76 mm) rated 3 A
  - Size 20 contact 0.040 in. (1.02 mm) rated 3 A
  - Size 16 contact 0.063 in. (1.60 mm) rated 3 A
  - Size 12 contact 0.093 in. (2.36 mm) rated 3 A
- Do not use on equipment where voltages are greater than 30V AC or 60V DC

Fluke. *Keeping your world up and running.®*

Fluke Corporation
PO Box 9090, Everett, WA 98206 U.S.A.

For more information call:
In the U.S.A. (800) 443-5853
In Canada (800) 36-FLUKE
From other countries +1 (425) 446-5500
www.fluke.com

©2026 Fluke Corporation.
Specifications subject to change without notice.
10/2026

Modification of this document is not permitted without written permission from Fluke Corporation.